

877-4-JANSAN • www.nextgensupply.com

Product Name	All Kleei	n Stetcosolve			Item Code		STETCO	
Recommended U	se	entrated cleaner and degreaser						
Supplier 11 Norfol Mansfield			t-Gen Supply Group Norfolk Street Isfield, MA 02048 -452-6726			Emergency Telephone		
						INFOTRAC: 1-800-535-5053		
SECTION 2: H	azard(s)	identifica	tion					
DANGER			Haz	zards not othe	erwise class	sifie	ed or not covered by GHS	
<.		$\mathbf{\cdot}$	None					
Hazard Statemen	t				Hazard Cla	ass	(GHS Chapter)	Category
Harmful if swallow	ed			Acute toxicity	Acute toxicity, oral (3.1) 4			
May be corrosive to metals			Corrosive to Metals (2.16) 1				1	
Causes skin irritation.			Skin corrosion/irritation(3.2) 2			2		
Harmful if swallowed or in contact with skin			Acute toxicity, oral (3.1) and acute toxicity dermal (3.1) 4				4	
Precautionary Sta	atement							
Keep only in origin Wash exposed skin Do not eat, drink, o Wear protective glo IF SWALLOWED: C	and face t r smoke w oves, prote	horoughly af hen using thi ctive clothing	s proc g, and	luct. protective eye		nwe	211.	
Rinse mouth. IF ON SKIN: immed Wash contaminated			minat	ed clothing. Rir	ise affected a	irea	is with plenty of soap and water	or shower.
rinsing.	autiously v	with water fo	r seve		move contac	ct le	nses, if present and easy to do.	Continue
Absorb spillage to p							· · · · · · ·	
							resistant inner liner. mational regulations. Offer surp	lus and non-

SECTION 3: Composition/Information on Ingredients												
Chemical identity			CAS #	%								
2-butoxy ethanol	glycol,		B, E	ent EB, 2- butyoxy-1-ethanol, Butyl oxitol, Butyl thylene glycol butyl ether, Glycol EB, Dowanol EB, ether	111-76-2	8-10%						
Sodium Hydroxide	Causti	c Soda			1310-73-2	<1%						
SECTION 4: First	Aid N	leasures										
If medical advice is needed, have product container or label at hand.												
				IF SWALLOWED: Harmful if swallowed. Rinse mouth. DO NOT induce vomiting. Call Poison Center, 911 or emergency medical service if you feel unwell.								
Necessary measures	s for	IF ON SKIN: Remove contaminated clothing and wash before reuse. Rinse affected areas with plenty of soap and water or shower. If irritation occurs get medical advice.										
routes of exposure		IF INHALED: Remove person to fresh air and keep comfortable for breathing.										
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.										
Most important symptoms/effects, acute and delayed.			A	Acute exposure may cause skin burns/irritation or eye irritation.								
Immediate medical attention and special treatment, if necessary			М	Move victim to fresh air. Immediately call Poison center, 911 or medical aid.								
SECTION 5: Fire-	fightir	ng Measu	res	5								
Suitable extinguishing media.			D	Dry chemical, CO ₂ , alcohol resistant foam or water spray								
Specific hazards arising from the chemical			М	Move containers from fire area if you can do it without risk								
special protective equipment and			cł	Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.								
Emergency Response Guide Number 15				54								
SECTION 6: Acci	denta	I Release	Me	easures								
Personal precautions, protective equipment and emergency procedures.				Keep away from clothing and other combustible materials. Chemically protective gloves, clothing and safety eyewear are recommended.								
Environmental precautions.				Prevent entry into waterways, sewers, basements, or confined areas. Collect spillage.								
Methods and materials for containment and cleaning up.			it	Stop leak if you can without risk. Prevent entry into waterways, sewers, basements, or confined areas. Absorb or cover with non-combustible absorbent material and transfer to containers. Collect spillage. Contact a licensed professional waste disposal service to dispose of this material.								

SECTION 7: Han	dling	g and S	torage					
Precautions for safe handling.	Do not eat, drink or smoke in areas where this material is used. After handling, always wash hands thoroughly with soap and water. Wear protective nitrile gloves, protective clothing, and eye/face protection. Use only with adequate ventilation/personal protection							
Conditions for safe storage, including any incompatibilities.		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store containers in a cool, dry, ventilated area away from sources of ignition and incompatible materials, Keep containers tightly closed and properly labeled. Store in original containers, corrosion resistant container, or within a container with a corrosion resistant inner liner. Do not store in ferrous containers. Avoid strong oxidizing agents and metals.						
SECTION 8: Exp	osur	e Cont	rols/Pers	onal Protec	tion			
Component	Component C		Туре	Value	Basis			
			TWA	20 ppm	USA ACGIH Threshold Limit Values (TLV)			
2-butoxy ethanol	111	-76-2	TWA	5 ppm 24mg/m ³	USA, NIOSH Recommended Exposure Limits			
			TWA	50ppm 240 mg/m ³	USA, Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants			
Remarks : Eye, skin, a	nd up	oper respi	ratory tract	irritation. Poter	ntial for dermal absorption.			
			C	2mg/m ³	USA, (OSHA) Table Z-1 Limits for Air Contaminants – 1910.00			
Sodium Hydroxide	131	10-73-2	TWA	TWA2mg/m³USA, Occupational Exposure Limits (OSF Limits for Air Contaminants)				
			С	2mg/m ³	USA ACGIH Threshold Limit Values (TLV)			
			STEL	3 ppm 6 mg/m ³	USA, Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants			
Remarks: Skin and ey	/e irri	tant.						
		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after the workday. Collect spillage.						
		Provide local ventilation. Respiratory equipment is not required. For nuisance exposures use type OV/AG (US) respiratory cartridges.						
measures		Handle with nitrile gloves which have been inspected prior to use. Avoid skin contact with this product. Avoid eye contact. Safety eyewear is required. Long term exposure could irritate skin and eyes.						

SECTION 9: Physical and Chemical Properties									
Appeara	nce	Blue to violet trans	sparent liquid	Specific Gravity 1.00-1.02					
Odor		Pine fragrance		Solubility in Water	Complete				
pH as su	pplied	12-13		Volatile Organic Compound	7-9%				
Boiling P	oint	Ca 212°F		Evaporation Rate	Similar to water				
SECTION 10: Stability and Reactivity									
Reactivit	у		No data availabl	No data available.					
Chemica	l stability		Stable under recommended storage conditions.						
Possibili	ty of hazard	ous reactions	No data available.						
Conditio	ns to avoid		No data available.						
Incompatible materials			Oxidizers, acids, halogens, light metals, copper, ferrous metals and aluminum.						
Hazardous decomposition products			No data available						
SECTION 11: Toxicological Information									
IARC	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC								
ACGIH		ponent of this product is present at levels greater than or equal to 0.1% is identified as a probable, e or confirmed human carcinogen by ACGIH							
NTP		nponent of this product is present at levels greater than or equal to 0.1% is identified as a probable, le or confirmed human carcinogen by NTP							
OSHA	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA								
Sodium Hydroxide CAS 1310-73-2 Remarks: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation of vapors may cause spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx.Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. RTECS: Not available.									

SECTION 12: Ecological Information

No data available

SECTION 13: Disposal Considerations

Dispose of contents/container in accordance with local/state/federal and international regulations. Collect spillage. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contaminated packing as unused product.

SECTION 14: Transport Information

DOT Packaging Exception 173.154, b,2,d, Limited Quantities not over 1.3 gals (Inner packaging not over 1.3 gals) If shipped by airplane, rail or vessel see 49 CFR 172.101 Hazardous Materials Table

DOT Class	sification	Corrosive Liquid, n.o.s. (Contains sodium hydroxide)	Hazard Class	8			
DOT Identification		UN1760	Packaging Group	III			
Placard	Corrosive 8	Special Provisions for Bulk Transport (>119 gals container for liquids): Corrosive 8 Placard					

SECTION 15: Regulatory Information

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302 2-Butoxyethanol CAS 111-76-2 is subject to the reporting requirements of SARA Title III, Section 313. 2-Butoxyethanol CAS 111-76-2 is a SARA 311/312 Hazard, Acute Health Hazard, Chronic Health Hazard.

Sodium Hydroxide CAS 1310-73-2 is a NJ, PA, and MA Right- to- Know chemical

California Prop. 65: This product does not contain any chemical known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other Information

Revision prepared 05/11/2020 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only. Previous Version Dated 01/20/2015.

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group, it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.