

Safety Data Sheet

877-4-JANSAN • www.nextgensupply.com

SECTION 1: Identification						
Product Name	MixMate 1	e 10 Neutra-Quat 256 Item Code MMSQ10/MM7010			MMSQ10/MM7010	
Recommended l	Jse	Hard surface disinfectant				
Supplier		Next-Gen Supply Group 11 Norfolk Street		Emergency Telephone		
		Mansfield, MA 02048 877-452-6726	INF	INFOTRAC: 1-800-535-5053		

SECTION 2: Hazard(s) identification

DANGER







Hazards not otherwise classified or not covered by GHS

Right to know chemicals. Acute and Chronic Health Hazards

Hazard Statements	Hazard Class (GHS Chapter)	Category
Causes severe skin burns and eye damage	Skin corrosion/irritation (3.2)	1
Toxic if swallowed or if inhaled	Acute toxicity oral and inhalation (3.1)	1
May cause damage to kidneys and liver through prolonged or repeated oral exposure	Specific target organ toxicity following repeated exposures (3.9)	2
Toxic to aquatic life with long lasting effects	Hazardous to the aquatic environment, long-term (Chronic)(4.1)	Chronic 1

Precautionary Statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection

Wash face and hands and exposed skin thoroughly after handling.

Wash contaminated clothing before reuse.

IF SWALLOWED: immediately call a POISON CENTER or physician. Rinse mouth. DO NOT induce vomiting.

IF ON SKIN: Immediately take off all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or contact a medical professional.

Store locked up.

Avoid release to the environment. Collect spillage.

Dispose of in accordance with local, state, federal, and international regulations. Offer surplus and non-recyclable solutions to a licensed disposal company.

Ethanol

Edetic Acid

>=1-<3

>=1-< 3

64-17-5

60-00-4

SECTION 3: Composition/Information on Ingredients					
Chemical identity	CAS#	%			
Dimethyldioactylammonium chloride	5538-94-3	>=20-<25			
Quaternary ammonium compounds, benzyl-C12-18- alkyldimethyl, chlorides	68391-01-5	>=10-<15			
Quaternary ammonium compounds, coco alkydtrimethyl, chlorides	61789-18-2	>=10-<15			
Tetrasodium ethylenediaminetetraacetate	64-02-8	>=5-<10			

SECTION 4: First Aid Measures

If medical advice is needed, have product container or label at hand.

Necessary measures for routes of exposure

IF SWALLOWED: Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Call Poison Center or emergency medical service.

IF ON SKIN: After contact with skin wash with plenty of soap and water. Take off contaminated clothing and shoes immediately. If skin irritation occurs, get medical attention. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Take victim immediately to the hospital.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a physician or poison control center immediately. If unconscious, place in a recovery position and seek medical advice. If breathing is irregular or stopped, administer artificial respiration. Keep respiratory tract clear.

IF IN EYES: Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Protect unharmed eye. Continue rinsing eyes during transport to the hospital. Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Call a physician immediately.

Most important symptoms/ effects, acute and delayed.	No information available.	
Immediate medical attention and special treatment, if necessary	Do not breathe dusts or mists. Move victim to fresh air. Immediately call Poison center, 911 or medical aid.	

SECTION 5: Fire-fighting Measures

Suitable extinguishing media.	Dry chemical, CO ₂ , alcohol resistant foam or water spray	
Specific hazards arising from the chemical	Heating or fire can release toxic gas. Do not allow run-off from firefighting to enter drains or water sources. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.	
Special protective equipment and precautions for fire-fighters.	Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer.	
Emergency Response Guide #	154	

SECTION 6: Acciden							
	ital Rele	ease Mo	easures				
Personal precautions, protective equipment and emergency procedures.			Keep away from clothing and other combustible materials. Nitrile gloves, clothing and safety eyewear are required. Remove sources of ignition. Do not breather mist or vapor. Evacuate personnel to safe areas.				
Environmental precaution	Prevent entry into waterways, sewers, basements, or confined areas. Collect spillage. Discharge into the environment must be avoided.						
Methods and materials for containment and cleaning up.			Prevent entry into waterways, sewers, basements, or confined areas. Absorb or cover with dry earth, sand or other non-combustible absorbent material and transfer to containers. Collect Spillage Contact a licensed professional waste disposal service to dispose of this material.				
SECTION 7: Handlin	g and S	torage					
Precautions for safe handling. skin and thorough			d eyes. Avoid in thly with soap a	halation of ind water.	vapor or m Wear skin a	is material is used. A ist. After handling, a nd eye protection. N ation, personal prot	lways wash hands Nitrile gloves
Conditions for safe storage, including any incompatibilities. sparks, sources properly		ut of the reach of children. Keep away from ignition sources, heat, hot surfaces, and open flames. Store containers in a cool, dry, ventilated area away from s of ignition and incompatible materials. Keep containers tightly closed and ly labeled. Store in original containers. Provide a suitable liquid retention to keep spillages from spreading.					
SECTION 8: Exposure Controls/Personal Protection							
SECTION 8: Exposu	ie oont	. 0.0/. 0					
Component			CAS No.		lue	Exposure	Basis
•					llue	Exposure 1 ppm	Basis ACGIH
•				Va	llue	-	
Component			CAS No.	TWA	llue	1 ppm	ACGIH
Component	Handle i	64-	CAS No. 17-5 ance with good	TWA REL STEL industrial	hygiene and	1 ppm 1 ppm/ 2mg/m3 1,000 ppm I safety practice. Was	ACGIH NIOSH ACGIH
Component Ethyl Alcohol	Handle i breaks a Respirat appropr	n accordand after tory equipitate. Use	CAS No. 17-5 ance with good the workday. Lopment is require a full-face respiration.	TWA REL STEL industrial ong term exited where retartor with	hygiene and kposure cou risk assessm multi-purpo	1 ppm 1 ppm/ 2mg/m3 1,000 ppm I safety practice. Was ld irritate skin and eent shows air-purify	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage.
Component Ethyl Alcohol Control parameters Appropriate	Handle is breaks a Respirate appropring cartridg Handle is product, and professional professiona	n accordand after tory equipiate. Use as as a bawith nitril. Avoid eytective su and conce	ance with good the workday. Looment is requir a full-face respickup to engined the gloves. Glove to contact. Use sit for anormal parts of the contact.	TWA REL STEL industrial ong term extended where referator with ering contracts must be insafety goggorocessing	hygiene and xposure cou risk assessm multi-purpo rols. Provido inspected pr gles or glasse problems. (1 ppm 1 ppm/ 2mg/m3 1,000 ppm I safety practice. Was ld irritate skin and elent shows air-purify ose combination or the local ventilation.	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage. ving respirators are eype ABEK respirator in contact with this Wear face-shield cion according to the
Component Ethyl Alcohol Control parameters Appropriate engineering controls Individual protection	Handle is breaks a Respirate appropring appropring artridg Handle is product and product amount should be	n accordand after tory equipiate. Use es as a bawith nitril. Avoid eytective su and concoe worn.	ance with good the workday. Looment is required full-face respirate gloves. Glove the gloves of the contact. Use so it for anormal pentration of the	TWA REL STEL industrial ong term exirator with ering contress must be insafety goggerocessing endangerous.	hygiene and xposure cou risk assessm multi-purpo rols. Provido inspected pr gles or glasse problems. (1 ppm 1 ppm/ 2mg/m3 1,000 ppm 1 safety practice. Was ld irritate skin and elent shows air-purify ose combination or telelocal ventilation. Fior to use. Avoid skes with side shields. Choose body protect	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage. ving respirators are eype ABEK respirator in contact with this Wear face-shield cion according to the
Component Ethyl Alcohol Control parameters Appropriate engineering controls Individual protection measures	Handle is breaks a Respirat appropring cartridg Handle is product, and product amount should but and C	n accordand after to tory equipiate. Use as as a bawith nitril. Avoid eytective su and concoe worn.	ance with good the workday. Looment is required full-face respirate gloves. Glove the gloves of the contact. Use so it for anormal pentration of the	TWA REL STEL industrial ong term exirator with ering contress must be insafety gogg processing endangerou	hygiene and xposure cou risk assessm multi-purpo rols. Provido inspected pr gles or glasse problems. (1 ppm 1 ppm/ 2mg/m3 1,000 ppm 1 safety practice. Was ld irritate skin and elent shows air-purify ose combination or the local ventilation. From to use. Avoid skes with side shields. Choose body protect at the workplace. In	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage. ving respirators are eype ABEK respirator in contact with this Wear face-shield cion according to the
Component Ethyl Alcohol Control parameters Appropriate engineering controls Individual protection measures SECTION 9: Physica	Handle is breaks a Respirat appropring cartridg Handle is product, and product amount should be a Yello	in accordand after to tory equipiate. Use as a bawith nitril. Avoid eytective su and concoe worn.	ance with good the workday. Loopment is required full-face respirately to engine the gloves. Glove the contact. Use so it for anormal pentration of the contact.	TWA REL STEL industrial ong term extended where restrator with ering contracts must be it safety gogg processing endangerous.	hygiene and xposure cou risk assessm multi-purpo rols. Provide inspected proles or glasse problems. (s substance	1 ppm 1 ppm/ 2mg/m3 1,000 ppm 1 safety practice. Was ld irritate skin and elent shows air-purify ose combination or the local ventilation. From to use. Avoid skes with side shields. Choose body protect at the workplace. In	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage. ring respirators are eype ABEK respirator in contact with this Wear face-shield cion according to the appervious clothing
Component Ethyl Alcohol Control parameters Appropriate engineering controls Individual protection measures SECTION 9: Physical Appearance	Handle is breaks at appropring cartridg. Handle is product, and product amount should be represented by the representation of the re	in accordand after to tory equipiate. Use as a bawith nitril. Avoid eytective su and concoe worn. hemical ow transpector or lemo	ance with good the workday. Looment is required full-face respirately to engine the gloves. Glove the contact. Use so it for anormal pentration of the contact of the contact when the contact was all properties the contact of the contact when the contact was all properties the contact was all properties the contact when the contact was all properties the contact was all properti	TWA REL STEL industrial ong term extended where restrator with ering contracts must be it safety gogg processing endangerous.	hygiene and xposure cou risk assessm multi-purpo rols. Provide inspected proles or glasse problems. (s substance	1 ppm 1 ppm/ 2mg/m3 1,000 ppm I safety practice. Was ld irritate skin and elent shows air-purify ose combination or the local ventilation. Fior to use. Avoid skes with side shields. Choose body protect at the workplace. In Gravity The boiling point	ACGIH NIOSH ACGIH sh hands before eyes. Collect spillage. Ving respirators are eype ABEK respirator in contact with this Wear face-shield ion according to the appervious clothing 0.96-0.98 g/ml

SECTION 10: Stability and Reactivity					
Reactivit	у		No decomposition if stored and applied as directed		
Chemical stability		lity	Stable under recommended storage conditions.		
Possibili	ty of h	azardous reactions	Stable under recommended storage conditions.		
Conditions to avoid		void	Heat, flames, and ignition sources.		
Incompatible materials		naterials	Strong acids and strong bases, oxidizing agents.		
Hazardoı	Hazardous decomposition products		No decomposition is used as directed.		
SECTIO	SECTION 11: Toxicological Information				
IARC		No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.			
ACGIH	Confi	Confirm animal carcinogen with unknown relevance to humans. Ethanol CAS 64-17-5			
NTP	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP				
OSHA	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA				
Acute Oral Toxicity LD50- (R Acute Dermal Toxicity LD50- (Skin irritation LD50 (Rat, may Moderate skin irritation Can cause severe eye irritation No data available on the effect No aspiration toxicity in class		Acute Dermal Toxicity LD50 Skin irritation LD50 (Rat, ma Moderate skin irritation Can cause severe eye irritati No data available on the effe No aspiration toxicity in class Ingestion may cause nausea	on. ects of fertility.		

SECTION 12: Ecological Information

No data available on mixture. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal Considerations

Do not dispose of waste into sewer. The product should not be allowed to enter drains, water sources or the soil. Dispose of contents/container in accordance with local/state/federal and international regulations. Collect spillage. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contaminated packing as unused product. Do not re-use empty containers.

SECTION 14: Transport Information

DOT Packaging Exception 173.154,b,2, Limited Quantities not over 1.3 gals (Inner packaging not over 1.3 gals). If shipped by aircraft, rail or vessel see 49 CFR 172.101 Hazardous Materials Table

DOT Classification		Corrosive Liquids, toxic, n.o.s (Alkyldimethylbenzylammonium chloride)	Hazard Class	8	
DOT Identification		UN2922	Packaging Group		
Placard	Corrosive 8	Special Provisions for Bulk Transport (>119 gals container for liquids): Corrosive 8 Placard	Hazard Identification Number	86	

SECTION 15: Regulatory Information

This product is an US EPA registered product, EPA Registration No 6836-364-1674

This material does not contain any components subject to the reporting requirements of SARA Title III, Section 304. This material does not contain any components subject to the reporting levels established by SARA Title III, Section 313 This material is a SARA 311/312 Hazardous chemical, Acute Health Hazard,

Ethyl Alcohol CAS 64-17-5 and Edetic Acid CAS 60-004 are Massahcusetts Right to Know Chemicals

Water 7732-18-5, Dimethyldioctylammonium chloride CAS 558-94-3,

Quaternary ammonium compounds, benzyl-C12-C18 alkyldimethylchlorides CAS 68391-01-5,

Quaternary ammonium compounds, coco alkyldimethyl, chlorides CAS 61789-18-2

Tetrasodium ethylenediameinetetraacetate CAS 64-02-8

are Pennsylania right-to know chemicals

California Prop. 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harms.

SECTION 16: Other Information

Prepared 02/28/2023 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only.

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group, it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.