

Γ

## 877-4-JANSAN • www.nextgensupply.com

SECTION 1: I	dentificat	ion						
Product Name	MixMate #	3 QUAT 64			Item Code	MMSQ3/MM3*		
Recommended	Use Disinfecting cleaned			er and deodoi	rizer			
		Next-Gen S		Group, LLC Emergency Telephone			none	
Supplier11 Norfolk Street Mansfield, MA 02 877-452-6726				INFOTRAC: 1-800-535-5053				
SECTION 2: H	lazard(s)	identifica	tion					
DANGER	ALL ALL		Haza	rds not othe	erwise classifi	ed or not covered by	/ GHS	
			Right	to know cher	nicals. Acute ar	nd Chronic Health Haza	rds	
Hazard Stateme	nts				Hazard Clas	s (GHS Chapter)		Category
Causes severe ski	n burns and	eye damage		Skin corrosi	on/irritation (3	8.2)		1
May cause damage to kidneys and liver through prolonged or repeated oral exposure			Specific target organ toxicity following repeated exposures ( 3.9)		2			
Toxic to aquatic life with long lasting effects			Hazardous to the aquatic environment, long-term (Chronic)(4.1)			Chronic 2		
Precautionary S	tatements							
If exposed or cond Store in secure ar Avoid release to t	ists or mists. or smoke wh nds and expo ed clothing b nediately call cerned, call a ea. he environm rdance with	nen using this osed skin tho pefore reuse. a POISON CEN POISON CEN ent. Collect s local, state, f	s produ ourough ENTER VTER o spillage	ict. ily after handl or physician. r contact a me e.	ling. Rinse mouth, E edical professio	00 NOT induce vomitin nal. 15. Offer surplus and no	0	e solutions
SECTION 3: C	Compositi	ion/Inform	natior	n on Ingred	lients			
Chen	nical identit	y		Comm	on name, syn	onyms, etc.	CAS #	%
Ethyl Alcohol			Etł	ianol			64-17-5	3-4
Alkyl dimethyl be	enzyl ammonium chloride Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides 68424-85-		-1 2-3					
			1				1	

SECTION 4: First Aid Measures				
lf me	dical advice is	needed, have product container or label at hand.		
	IF SWALLOWED: Immediately call POISON CENTER or physician. Rinse mouth. DO NOT induce vomiting. Call Poison Center or emergency medical service.			
Necessary measures for	IF ON SKIN: Remove contaminated clothing and wash before reuse. Rinse affected areas with plenty of soap and water or shower. If skin irritation occurs, get medical attention.			
routes of exposure	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	IF IN EYES: Ri do. Continue r	nse carefully with water for several minutes. Remove contact lenses if easy to insing.		
Most important symptoms/ effects, acute and delayed.		Acute exposure may cause skin or eye irritation.		
Immediate medical attention and special treatment, if necessary		Do not breathe dusts or mists Move victim to fresh air. Immediately call Poison center, 911 or medical aid.		
SECTION 5: Fire-fighti	ng Measures	5		
Suitable extinguishing media.		Dry chemical, CO <sub>2</sub> , alcohol resistant foam or water spray		
Specific hazards arising from the chemical		Corrosive to skin and may cause eye damage. Do not touch or walk throu spilled area. Water spray may reduce vapor, but may not prevent ignition closed spaces. Do not breathe mist of vapor.		
Special protective equipment and precautions for fire-fighters.		Wear positive pressure, self-contained breathing apparatus (SCBA). Wea chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.		
Emergency Response Guide #		153		
SECTION 6: Accidenta	al Release Mo	easures		
Personal precautions, prot	ective equip-	Keep away from clothing and other combustible materials. Nitrile gloves,		

Personal precautions, protective equip- ment and emergency procedures.	Keep away from clothing and other combustible materials. Nitrile gloves, clothing and safety eyewear are required. Remove sources of ignition. Do not breather mist or vapor. Evacuate personnel to safe areas.		
Environmental precautions.	Prevent entry into waterways, sewers, basements or confined areas. Collect spillage. Discharge into the environment must be avoided.		
Methods and materials for containment and cleaning up.	Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand or other non-combustible absorbent material and transfer to containers. Collect Spillage Contact a licensed professional waste disposal service to dispose of this material.		

SECTION 7: Handling and Storage			
Precautions for safe handling.	Do not eat, drink or smoke in areas where this material is used. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. After handling, always wash hands thoroughly with soap and water. Wear skin and eye protection. Nitrile gloves recommended. Use only with adequate ventilation, personal protection.		
Conditions for safe storage, including any incompatibilities.	Keep out of the reach of children. Keep away from ignition sources, heat, hot surfaces, sparks, and open flames. Store containers in a cool, dry, ventilated area away from sources of ignition and incompatible materials, Keep containers tightly closed and properly labeled. Store in original containers.		

# **SECTION 8: Exposure Controls/Personal Protection**

Component		CAS No.	Value	Exposure	Basis
Ethyl Alcohol		64-17-5	TWA	1 ppm	ACGIH
			REL	1 ppm/ 2mg/m3	NIOSH
			STEL	1,000 ppm	ACGIH
Control parameters	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after the workday. Long term exposure could irritate skin and eyes. Collect spillage.				
Appropriate engineering controls	Respiratory equipment is required where risk assessment shows air-purifying respirators are appropriate. Use a full-face respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. Provide local ventilation.				
Individual protection measures	Handle with nitrile gloves. Gloves must be inspected prior to use. Avoid skin contact with this product. Avoid eye contact. Use safety goggles or glasses with side shields.				

# **SECTION 9: Physical and Chemical Properties**

Appearance	Yellow transparent liquid	Specific Gravity	0.99-1.01 g/ml
Odor	Lemon-lime fragrance	Flash Point/ boiling point	NA/212°F
Volatile Organic Compound	3-4%	Solubility in Water	Complete
pH Concentrate/As used	7.5-8.5/6.8-7.8	Evaporation Rate	Similar to water

# **SECTION 10: Stability and Reactivity**

Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No data available.
Conditions to avoid	Heat, flames, and ignition sources.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No data available

MixMate 3 QUAT 64

Page 4
--------

SECTIO	SECTION 11: Toxicological Information					
IARC	3 - G	3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)				
ACGIH		omponent of this product is present at levels greater than or equal to 0.1% is identified as a probable, ible, or confirmed human carcinogen by ACGIH				
NTP		No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by NTP				
OSHA	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by OSHA					
Additional Information		N-Alkyl(C12-16)-N.N-dimethyl-N-benzylammonium chloride CAS 68424-85-21         Acute Oral Toxicity LD50- Rat- 344mg/kg. Acute Dermal Toxicity LD50- Rabbit- 3340 mg.kg. Skin         irritation rabbit – Corrosive DOT method         Didecyldimethylammonium chloride CAS 7173-51-5         Acute Toxicity LC50 Oral – rat- 238 mg/kg. Acute dermal toxicity LD50 rabbit- 3,342 mg/kg. Skin				
SECTIO	N 12	Corrosion/irritation eyes-rabbit, result eye irritation 24 hr. <b>Ecological Information</b>				
EC50 alga LC50 Dapl LC50 Fish Ecotoxicit	e: 0.12 nnia 0. : 0.056 y Vey t	<u>-N.N-dimethyl-N-benzylammonium chloride CAS 68424-85-21</u> 6 ppm 96 hrs. 116032 ppm 48 hrs. ppm 96 hrs. coxic to aquatic life with long lasting effects. e on mixture.				
SECTIO	N 13	: Disposal Considerations				
surplus an	d non	nts/container in accordance with local/state/federal and international regulations. Collect spillage. Offer -recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service s material. Dispose of contaminated packing as unused product.				
SECTION 14: Transport Information						

# DOT Packaging Exception 173.150,b,2,d Limited Quantities not over 1.3 gals (Inner packaging not over 1.3 gals). If shipped by aircraft, rail or vessel see 49 CFR 172.101 Hazardous Materials Table

DOT Classification		Disinfectants Liquid, Corrosive n.o.s. (Quaternary Ammonium compound)	Hazard Class	8	
DOT Identification		UN1903	Packaging Group	III	
Placard	Corrosive 8	Special Provisions for Bulk Transport (>119 gals container for liquids): Corrosive 8 Placard			

### **SECTION 15: Regulatory Information**

This product is an US EPA registered product, EPA Registration No 47371-131-1674 This material does not contain any components subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components subject to the reporting levels established by SARA Title III, Section 313 This material is a SARA 311/312 Hazardous chemical, Acute Health Hazard,

Ethyl Alcohol CAS 64-17-5 is a MA, PA, and NJ Right to Know Chemical

California Prop. 65: This product does contain a chemical know to the State of California to cause cancer. This product does contain a chemical known to the State of California to cause birth defects or other reproductive harm.

## **SECTION 16: Other Information**

Revision prepared 03/02/2022 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only. Previous Version Dated 02/05/2016

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group, it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.