

Safety Data Sheet

877-4-JANSAN • www.nextgensupply.com

SECTION 1: Identification								
Product Name	QUAT 32 D	QUAT 32 Disinfectant Item Code QT32L, QT32M, QT3						
Recommended Use Hard surface disinfectant cleaner								
Supplier		Next-Gen Supply Group 11 Norfolk Street		Emergency Telephone				
		Mansfield, MA 02048 877-452-6726	INFOTRAC:	1-800-535-50	53			

SECTION 2: Hazard(s) identification

DANGER



Hazards not otherwise classified or not covered by GHS

Right to know chemicals. Acute and Chronic Health Hazards

Hazard Statement	Hazard Class (GHS Chapter)	Category
Causes severe skin burns and eye damage	Skin corrosion/irritation (3.2)	1
Harmful if swallowed or in contact with skin	Acute Toxicity, oral (3.1),Acute Toxicity Dermal (3.1)	4

Precautionary Statement

Do not breathe dusts or mists.

Wash face, hands, and exposed skin thoroughly after handling.

If swallowed, immediately call a poison center or doctor/physician. Rinse mouth. DO NOT induce vomiting.

Do not eat, drink or smoke when using this product.

Wear protective nitrile gloves, protective clothing and safety eyewear.

Remove contaminated clothing immediately and wash before reuse.

Rinse skin with water or shower.

If inhaled, remove person to fresh air and keep comfortable for breathing.

If in eyes, rinse carefully with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.

If exposed or concerned, call a POISON CENTER or contact a medical professional.

Avoid release to the environment.

Collect spillage.

Store in secure area.

Dispose of contents/container in accordance with local, state, and federal regulations. Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 3: Composition/Information on Ingredients

Chemical identity	Common name, synonyms, etc.	CAS#	%
Didecyl dimethyl ammonium chloride	Quaternary ammonium compound	7173-51-5	2-3
Alkyl dimethyl benzyl ammonium chloride	Quaternary ammonium compounds, benzyl-C12- 16- alkyl dimethyl, chlorides	68424-85-1	0.8-1.1
Ethanol	Ethyl alcohol	64-17-5	1-2

SECTION 4: First Aid Measures						
If medical advice is needed, have product container or label at hand.						
		IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. DO NOT induce vomiting. Call 911 or emergency medical professional.				
Necessary measures	IF ON SKIN: Remove contaminated clothing and wash before reuse. Rinse affected areas wit plenty of soap and water or shower. If irritation occurs. Get medical attention.					
for routes of exposure	IF INHALED	: Remo	ve person to fresh air and keep comfortable for breathing.			
	IF IN EYES:		arefully with water for several minutes. Remove contact lenses if easy to			
Most important symptoms/effects, acute and delayed.			exposure may cause skin or eye irritation.			
			t breathe dusts or mists Move victim to fresh air. Immediately call Poison c, 911 or medical aid.			
SECTION 5: Fire-fighting Measures						
Suitable extinguishing m	edia.		Dry chemical, CO ₂ , alcohol resistant foam or water spray			
Specific hazards arising from the chemical			Corrosive to skin and may cause eye damage. Do not touch or walk through spilled area. Water spray may reduce vapor; but may not prevent ignition in closed spaces. Do not breathe mist of vapor.			
Special protective equipment and precautions for fire-fighters.			Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.			
Emergency Response Gu	ıide Number		153			
SECTION 6: Accident	tal Release	Meas	sures			
Personal precautions, protective equipment and emergency procedures.		s.	Keep away from clothing and other combustible materials. Chemically protective gloves, clothing and safety eyewear are required. Remove sources of ignition. Do not breather mist or vapor. Evacuate personnel to safe areas.			
Environmental precautions.			Prevent entry into waterways, sewers, basements or confined areas. Collect spillage. Discharge into the environment must be avoided.			
Methods and materials for containment and cleaning up.			Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand or other non-combustible absorbent material and transfer to containers. Collect Spillage. Contact a licensed professional waste disposal service to dispose of this material.			

SECTION 7: Handling a	ınd Stora	ge					
Precautions for safe handling.	Do not eat, drink or smoke in areas where this material is used. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. After handling, always wash hands thoroughly with soap and water. Wear protective nitrile gloves/protective clothing /safety eye glasses/face protection. Use only with adequate ventilation/personal protection.						
Conditions for safe storage, including any incompatibilities.	Keep away from ignition sources, heat, hot surfaces, sparks, and open flames. No smoking. Store containers in a cool, dry, ventilated area away from sources of ignition and incompatible materials, Keep containers tightly closed and properly labeled. Store in original containers.						
SECTION 8: Exposure	Controls/	Personal	Protecti	on			
Component	CAS#	Type	Va	lue	E	Basis	
		TWA	1ppm		ACGIH		
Ethanol	64-17-5	REL	1ppm, 2n	ng/m3	NIOSH		
		STEL	1,000 pp	m	ACGIH		
Control parameters	Avoid skin and eye contact with this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after the workday.						
Appropriate engineering controls	Respiratory equipment is required where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. Provide local ventilation.						
Individual protection measures	Handle with nitrile gloves which have been inspected prior to use. Protective eyewear is required. Long term exposure could irritate skin and eyes.						
SECTION 9: Physical a	nd Chem	ical Prope	erties				
Appearance	Green tran	ısparent liqu	arent liquid Specific Gravity		Gravity	0.99-1.01 g/ml	
Odor	Mint/Lem	on/Pine frag	rances	Flash Po	int/ boiling point	NA/212°F	
Volatile Organic Compound	1-2%			Solubility in Water		Complete	
pH Concentrate/ As used	5.2-6.5 / 6	.3-7.0	Evaporation Rate		Similar to water		
SECTION 10: Stability a	and Reac	tivity					
Reactivity		No data	No data available.				
Chemical stability	Stable u	Stable under recommended storage conditions.					
Possibility of hazardous rea	No data	No data available.					
Conditions to avoid	Heat, fla	Heat, flames and ignition sources.					
Incompatible materials	Incompatible materials			Strong oxidizing agents.			
Hazardous decomposition	oroducts	No data	No data available				

SECTION 11: Toxicological Information							
IARC		No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.					
ACGIH		No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by ACGIH					
NTP	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP						
OSHA	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA						
Additional Information		N-Alkyl(C12-16)-N,N-dimethyl-N-benzylammonium chloride (CAS 68424-85-21): Acute Oral Toxicity LD50- Rat- 344mg/kg. Acute Dermal Toxicity LD50- Rabbit- 3340 mg.kg. Skin irritation rabbit – Corrosive DOT method Didecyldimethylammonium chloride (CAS 7173-51-5): Acute Toxicity LC50 Oral – rat- 238 mg/kg. Acute dermal toxicity LD50 rabbit- 3,342 mg/kg. Skin Corrosion/irritation eyes-rabbit, result eye irritation 24 hr.					

SECTION 12: Ecological Information

No data available on mixture.

SECTION 13: Disposal Considerations

Dispose of contents/container in accordance with local, state, and federal regulations. Collect spillage. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contaminated packing as unused product.

SECTION 14: Transport Information

DOT Packaging Exception 173.150, b,2,d, Limited Quantities not over 1.3 gals (Inner packaging not over 1.3 gals) If shipped by aircraft, rail or vessel see 49 CFR 172.101 Hazardous Materials Table

DOT Number	UN1903	Shippi	ing Name	Disinfectants Liquid, Corrosive n.o,s. (Quaternary Ammonium compound)				
Packaging Group		III	Placard		Corrosive 8	Hazard Class	8	

Special Provisions for Bulk Transport (>119 gals container for liquids) Corrosive 8 Placard

SECTION 15: Regulatory Information

This product is an US EPA registered product, EPA Registration No 47371-192-1674

This material does not contain any components subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components subject to the reporting levels established by SARA Title III, Section 313 This product is a SARA 311/311 Hazardous chemical, Acute Health Hazard

Ethanol CAS 64-17-5 is a MA, PA and NJ Right to Know Chemical

California Prop. 65: This product does contain a chemical know to the State of California to cause cancer. This product contains a chemical know to the state of California to cause birth defects or other reproductive harm.

SECTION 16: Other Information

Prepared 07/12/2016 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only.

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group, it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.