

877-4-JANSAN • www.nextgensupply.com

SECTION 1: lo	dentific	ation						
Product Name Tone Up Gloss Enhan		cer			Item Number	TONEUPPT		
Recommended Use Floor Gloss			Enhancer for Use with buffing					
Supplier		Next-Gen Supply Group 11 Norfolk Street Mansfield, MA 02048 877-452-6726			Emergency Telephone INFOTRAC: 1-800-535-5053			
SECTION 2: H	azard(	s) identific	ation					
This product does not contain haz defined in OSHA 29 CFR 1910.120		ain hazardous	ous ingredients as Hazards n		otherwise classified or not covered by GHS			
				Right to Know Chemical				
SECTION 3: C	ompos	sition/Infor	mation on Ing	gredients				
Chemical identity			Common Name, Synonyms, etc.				CAS #	%
Polyethylene glycol		PEG, Carbowax,					25322-68-3	1-3
Hydroxyethyl cellu	Hydroxyethyl cellulose		Cellosize, cellulose					2-3
SECTION 4: F	irst Aic	d Measures	6					
	lf n	nedical advid	ce is needed, ha	ve product con	tainer	or label at hand	I.	
Necessary measures for routes of exposure		IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink 16 ounces of water. Call 911 or emergency medical service.						
		IF ON SKIN: Remove contaminated clothing and wash before reuse. Rinse affected areas with plenty of soap and water or shower. If skin irritation occurs get medical attention.						
		IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call 911 or emergency medical services if breathing becomes labored.						
		IF IN EYES: Rinse carefully with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.						
Most important symptoms/effects, acute and delayed.		Acute exposure may cause skin irritation or eye irritation.						
Immediate medical attention and special treatment, if necessary		Move victim to fresh air. Call 911 or medical services.						

measures

gloves.

Suitable extinguishing n	nedia.		Dry chemical, CO2, alcohol resistant foam or water spray			
Specific hazards arising	from the chen	nical	Move conta	Move containers from fire area, if you can do it without risk		
Special protective equip for fire-fighters.	ment and prec	autions	For containers: Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing specifically recommended by the manufacturer. It may provide little or no thermal protection.			
Emergency Response G	uide Number		Not applica	Not applicable		
SECTION 6: Accider	ntal Release	Measu	res			
Personal precautions, protective equipment, and emergency procedures.			Chemically protective gloves, clothing and safety eyewear are recommended.			
Environmental precautions.			Prevent entry into waterways, sewers, basements, or confined areas. Collect spillage.			
Methods and materials for containment and cleaning up.			Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements, or confined areas. Absorb or cover with dry earth, sand or other non-combustible absorbent material and transfer to containers. Collect spillage. Contact a licensed professional waste disposal service to dispose of this material.			
SECTION 7: Handlin	g and Stora	ge				
Precautions for safe handling.	Do not eat, drink, or smoke in areas where this material is used. After handling, always wash hands thoroughly with soap and water. Wear protective nitrile gloves and safety eyewear. Use only with adequate ventilation/personal protection.					
Conditions for safe storage, including any incompatibilities.	Store containers in a cool, dry, ventilated area away from sources of ignition and incompatible materials. Keep containers tightly closed and properly labeled.					
SECTION 8: Exposu	re Controls/	Person	al Protecti	on		
Component	CAS #	Value	Exposure	Basis		
Polyethylene Glycol	25322-68-3	TWA	10.00 mg/m3	USA, Workplace Environmental Exposure Levels (WEEL)		
Hydroxyethyl cellulose		TWA	10mg/m3	USA ACGIH Threshold Limit Values (TLV)		
	9004-62-0	TWA	5mg/m3	USA, NIOSH Recommended Exposure Limits		
		STEL	5mg/m3	USA, OSHA-Table Z-1 Limits for Air contaminants – 1910.1000		
Control parameters	Use in accordance with the manufacturer's instructions.					
Appropriate engineering controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after the workday.					
Individual protection	Provide local ventilation. Respiratory equipment is not required. For nuisance exposures use					

type OV/AG (US) respiratory cartridges. Wear safety eyeglasses and chemically resistant

Safety Data Sheet

#### **Tone Up**

Page 3

AppearanceThick tan liquid		Specific Gravity		0.99-1.01			
Odor Winter green Fra			grance Boiling Point		Ca 212°F		
Volatile Organic Compound		Solubility in Water		Complete			
pH at concentrate 7-8				Evaporation Rate	Similar to Water		
SECTIC	N 10: Stabilit	y and Reactiv	ity				
Reactivity			No data available.				
Chemical stability			Stable under recommended storage conditions.				
Possibili	ty of hazardous	reactions	No data available.				
Conditions to avoid			No data available.				
Incompatible materials			Acids and strong oxidizers				
Hazardous decomposition products			No data available				
SECTIC	N 11: Toxico	logical Inform	ation				
IARC	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC						
ACGIH	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by ACGIH						
NTP	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP						
OSHA	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA						
Additional Information None available of			on this produc	t			

# **SECTION 13: Disposal Considerations**

Dispose of contents/container in accordance with local/state/federal and international regulations. Collect spillage. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material .Once rinsed contaminate packaging can be recycled.

# **SECTION 14: Transport Information**

Not US DOT regulated for ground transport.

## **SECTION 15: Regulatory Information**

This material does not contain any components subject to the reporting requirements of SARA Title III, Section 313. This material does not contain any components subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components subject to the reporting requirements of SARA Title III, Section 304. This material does not contain any components subject to SARA 311/312.

California Prop. 65: This product does not contain any chemical known to State of California to cause cancer, birth defects, or any other reproductive harm.

Polyethylene glycol CAS 25322-68-3 is a NJ and PA Right To Know Chemical. Hyrdoxyethyl Cellulose CAS 9004-62-0 is a a NJ and,PA Right- to- Know chemical

### **SECTION 16: Other Information**

Revision prepared 04/06/2015 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only. Previous Version Dated 08/29/2012

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group, it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.