

# **Safety Data Sheet**

877-4-JANSAN • www.nextgensupply.com

SECTION 1: Identification								
Product Name Wash Up	Liquid Hand Soap				Item Code	WASH	UP1	
Recommended Use	Liquid Hand Soap							
Supplier		11 Norfolk Street		Emer	nergency Telephone			
				INFOT	INFOTRAC: 1-800-535-5053			
SECTION 2: Hazard(s) identification								
WARNING		Hazards not otherwise classified or not covered by GHS						
		Right to Know Chemical						
Hazard Statements		Hazard Class (GHS			GHS Chapter)		Category	
Causes eye irritation		Serious eye damag	e/eye ir	critation (3.3)		Category 2B		
Precautionary Statements								
For contact with eyes, rinse carefully with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Should eye irritation persists, seek medical advice or attention.  SECTION 3: Composition/Information on Ingredients								
Chemical identity	Common name, synonyms, etc			CA	S #	%		
Propane-1,2-diol	Propylene Glycol			57-5	55-6	1-2		
Benzalkonium Chloride	Benzalkonium Chloride			8001	-54-5	0.1-0.13		
SECTION 4: First Aid	Measures						•	
If me	dical advice	is needed	, have product con	tainer	or label at hand	i.		
	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink 16 ounces of water. Call 911 or emergency medical professional.							
Necessary measures for	IF ON SKIN: Remove contaminated clothing and wash before reuse. Rinse affected areas with plenty of soap and water or shower. If irritation occurs get medical advice.							
routes of exposure	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call 911 or emergency medical services if breathing becomes labored.							
	IF IN EYES: do. Continu	Rinse carefully with water for several minutes. Remove contact lenses if easy to e rinsing.						
Most important symptoms acute and delayed.	Acute exposure may cause skin or eye irritation.							
Immediate medical attention special treatment, if necessity	Move victim to fresh air. Immediately call poison center, 911 or medical aid.							

SECTION 5: Fire-fighting Measures								
Suitable extinguishing media.				Dry chemic	Dry chemical, CO <sub>2</sub> , alcohol resistant foam or water spray			
Specific hazards arising from the chemical			e chemic	al None. Mov	None. Move containers from fire area if you can without risk			
Special protective equipment and precautions for fire-fighters.				apparatus recommen	For containers, wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing specifically recommended by the manufacturer, which may provide little or no thermal protection.			
Emergency Response Guide Number			mber	No data ava	No data available.			
SECTION 6: Accidental Release Measures								
				Chemically p large spills.	Chemically protective gloves and safety eyewear are recommended for large spills.			
					Prevent entry into waterways, sewers, basements or confined areas. Collect spillage.			
Methods and materials for containment and cleaning up.			inment	basements of absorbent ma	Stop leak if you can without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with non-combustible absorbent material and transfer to containers. Collect spillage. Contact a licensed professional waste disposal service to dispose of this material.			
SECTION 7: Handling and Storage								
Procalitions for sate nangling					ross-contamination. Do not eat or drink in areas where this material is r handling, wash hands thoroughly.			
					niners in a cool, dry, ventilated area away from sources of ignition and ble materials. Keep containers tightly closed and properly labeled.			
SECTION 8: Ex	posi	ure Con	trols/Pe	rsonal Prote	ction			
Component	CA	S #	Value	Exposure	Basis			
Propane-1,2-diol	57-	55-6	TWA	10.00 mg/m3	USA, Workplace Environmental Exposure Levels (WEEL)			
Control parameter	s	Handle i	n accorda	nce with good inc	lustrial hygiene and safety practice.			
Appropriate engineering contro								
Individual protection measures Safety eyewear and chemically resistant gloves are recommended but not required when us as directed.				stant gloves are recommended but not required when used				

SECTION 9: Physical and Chemical Properties								
Appearar	ice	Straw-colored clear liquid		Specific Gravity	0.99-1.02			
Odor		No fragran	ce added	Boiling Point	Ca 212°F			
Volatile C	Organic Compound	0%		Solubility in Water	Complete			
pH as us	ed	10-11		Evaporation Rate	Similar to Water			
SECTION 10: Stability and Reactivity								
Reactivity			No data available.					
Chemical stability			Stable under recommended storage conditions.					
Possibility of hazardous reactions			No data available.					
Conditions to avoid			No data available.					
Incompatible materials			Acids and strong oxidizers.					
Hazardou	ıs decomposition pr	oducts	No data available					
SECTION 11: Toxicological Information								
IARC	No component of this product is present at levels greater than or equal to $0.1\%$ is identified as a probable, possible or confirmed human carcinogen by IARC.							
ACGIH		component of this product is present at levels greater than or equal to $0.1\%$ is identified as a probable, ssible or confirmed human carcinogen by ACGIH						
NTP	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP							
OSHA	OSHA  No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA							
	Propane-1,2-diol CAS 57-55-6: Acute Toxicity LD50 Oral-Rat-20,000 mg/kg. Inhalation: No data available. LD50 Dermal – Rabbit- 20,800 mg/kg, LD50 Intramuscular – Rat- 14g/kg. LD50 Intravenous-Dog-26g/kg. LD50 Intraperitoneal – Rat-6,660 mg/kg. LD50 Intravenous – Rat- 6,423 mg/kg. LD5-Intrapertoneal-Mouse-9,718 mg/kg. Remarks: Lungs, Thorax, or respiration. Chronic pulmonary edema, Kidney, Ureter, Bladder changes in both tubules and glomeruli. Blood: changes in spleen. Skin corrosion/irritation: Skin –human Result: Mild skin irritation -7d. Serious eye damage/eye irritation Eyes-Rabbit Result: Mild eye irritation.  RTECS:TY2000000. No data is available on this product.							

## **SECTION 12: Ecological Information**

Propane-1,2-diol CAS 57-55-6: Toxicity to fish Mortality NOEC-Pimephales prometas (fathead minnow) – 52,930 mg/l – 96h. Toxicity to daphnia and other aquatic invertibrates Mortality NOEC-Daphnia (water flea) – 13,020 mg/l 48 h. EC50-Daphnia magna (Water flea) > 10,000 mg/l-48h. No data is available on this product.

### **SECTION 13: Disposal Considerations**

Dispose of contents/container in accordance with local/state/federal and international regulations. Collect spillage. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material .Once rinsed contaminate packaging can be recycled.

### **SECTION 14: Transport Information**

Not US DOT regulated for ground transport.

### **SECTION 15: Regulatory Information**

This material does not contain any components subject to the reporting requirements of SARA Title III, Section 313, 302, and 304.

This material does not contain any components subject to SARA 311/312.

California Prop. 65: This product does not contain any chemical known to State of California to cause cancer, birth defects, or any other reproductive harm.

Propane-1,2-diol CAS 57-55-6 is a NJ and PA Right to Know Chemical. Benzalkonium Chloride CAS 8001-54-5 is a PA Right-to-Know Chemical. Canada Permitted under the Antiseptic Skin Cleansers Monograph at 0.05 – 0.5%

#### **SECTION 16: Other Information**

Prepared 03/16/2020 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only.

DISCLAIMER: Whereas the use and handling of this product is not within the control of Next-Gen Supply Group., it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. Next-Gen Supply Group accepts no liability for damages or loss incurred from the misuse and mishandling of this product.